

BPMN 2.0 in ARIS

Cheat sheet

Main model types

BPMN collaboration & process diagrams represent control flows and message flows involved in collaborative **processes**.

Enterprise BPMN collaboration & process diagrams enrich the standard by typed lanes. Lanes can state roles, organizational units, application systems etc. that are already maintained in the ARIS library.

Swimlanes



Pools graphically show participants or processes in a collaboration diagram.

Lanes demonstrate organizational and technical responsibilities, typically within pools.

Enterpris BPMN lanes

- Pool
- Lane
- Organizational unit lane
- Organizational unit type lane
- Role lane
- Position lane
- Group lane
- Application system type lane

Control flow elements

- Start event
- Task
- Call activity
- Sub-processes
- Gateway

Further elements

- Message
- Text annotation
- Data object
- Data store
- Group


Events

- Start events** demonstrate where a certain process will start.
- Intermediate events** affect the process flow. They do not start or end the process.
- End events** demonstrate where a certain process will end.

Events are **further specified** as follows:

- Cancel event
- Compensation event
- Condition event
- Error event
- Escalation event
- Link event
- Message event
- Multiple event
- Parallel multiple event
- Signal event
- Timer event

Example Applicant selection



Activities

- Activities** are included as steps in a process.
- Call activities** demonstrate points in the process where global processes or tasks are used.

Tasks are **further specified** as follows:

- Business rule task
- Manual task
- Receive task
- Script task
- Send task
- Service task
- User task

Flows

- Sequence flows** represent the order of activities that are performed within a process.
- Message flows** show the flow of messages between pools.
- Associations** link information with elements.

Gateways

- Exclusive gateways** are used in processes to control the disparity and convergence of sequence flows.
- Inclusive gateways** represent alternative but also parallel paths in a process flow. Difference to exclusive gateways: All condition expressions are evaluated.
- Complex gateways** demonstrate complex synchronization behavior, conditions and situations.
- Event-based gateways** are used as branching points within the process. Alternative paths are based on occurring events.
- Parallel gateways** combine and create parallel flows.

Sub-processes

- Sub-processes** represent activities which include activities, gateways, events and sequence flows.
- Ad hoc sub-processes** represent activities with no sequence relationships.
- Event sub-processes** operate event-handling within a process and are typically related to exceptions.
- Transaction sub-processes** demonstrate coordinated activities such as a business transaction, a rollback or a compensation.

Data

- Data objects** provide information about what activities require to be performed or what they produce.
- Data stores** demonstrate stored information that will last beyond the process.
- Messages** show communication contents between participants.

↓ **Download the BPMN cheat sheet:**
tinyurl.com/cheat-sheet-ariss-bpmn-2-0

 **Join the largest BPM community:**
www.ariscommunity.com

↓ **Download the ARIS Basic cheat sheet:**
tinyurl.com/cheat-sheet-ariss-basic

 **Learn more on ARIS process design:**
tinyurl.com/ARIS-design

↓ **Download the EPC cheat sheet:**
tinyurl.com/cheat-sheet-ariss-epc

 **Extend your knowledge:**
softwareag.com

ARIS
BY SOFTWARE AG

© 2021 Software AG. All rights reserved. Software AG and all Software AG products are either trademarks or registered trademarks of Software AG. Other product and company names mentioned herein may be the trademarks of their respective owners.

cs_aris_bpmn_en